



Machines & Ideas For Industrial Cleaning



KRUGER & BRENTT[®]

KRUGER VAC[™]

A Company Concepts to Technologies Redefining Solutions for Cleaning

Kruger & Brentt Equipment Private Limited
Kruger Vac India Private Limited
An ISO 9001 : 2015 Company



WET & DRY VACUUM CLEANERS



Nevada *Inox*



Model	No. of Motors	Max. Power Watts	Supply V / Hz	Air Flow M ³ / Hr	Suction mm H ₂ O	Tank Capacity Ltrs	Tank
NEVADA INOX 25 M	1	1200	230 / 50	200	2550	22	Stainless steel
NEVADA INOX 40 M	1	1200	230 / 50	200	2550	36	Stainless steel
NEVADA INOX 80 D	2	2400	230 / 50	400	2550	78	Stainless steel
NEVADA INOX 95 D	2	2400	230 / 50	400	2550	96	Stainless steel
NEVADA INOX 95 TX	3	3600	230 / 50	650	2550	96	Stainless steel

UPHOLSTERY DRY CLEANING MACHINES

Shark *20*



Lava *Plus*



Bear *Scrub*



Shark *40*



Model	No. of Motors	Max. Power Watts	Spray Pump Watts	Air Flow M ³ / Hr	Suction mm H ₂ O	Solution Tank Ltrs	Collection Tank Ltrs	Scrubbing System
SHARK 20	Spray-1, Vacuum-1	1234	34	190	2300	10	20	Manual
SHARK 40	Spray-1, Vacuum-1	1234	34	190	2300	20	40	Manual
LAVA	Spray-1, Vacuum-1	1248	48	200	2550	6.2	27	Manual
BEAR	Spray-1, Vacuum-1, Brush-1	1175	175	190	2300	15	16	Motorized Brush



FLOOR SCRUBBING POLISHING & CARPET SHAMPOOING MACHINES



Galaxy Nove



Nebula 430 B



Nebula 430



Nebula 2.5



Nebula M18XL



Floor Scrubbing Brush



Pad Driver Disc



Buffing Polishing Pads



Carpet Shampoo Brush



Diamond Polishing Pads

Model		Galaxy Mini	Galaxy Nove	Nebula 430/430B	Nebula 2.5	Nebula M18XL	Nebula 1500	Features	Applications
Brush Speed	rpm	180	165	154	154	154	1000	Ergonomic - design All controls in hand Smooth Operation Adjustable machine weight adjustable handle height Powerful motor with effective cooling system & protection against accidental infiltration of water.	Deep cleaning of hard floors Wax removal Damp carpet cleaning Dry carpet cleaning Restoration & Polishing of marble & granite Maintenance cleaning foundations Crystallization of marble
Motor Power	Hp	1	2	2	2.5	3	1.75		
Brush Dia.	mm	330	400	430	455	455	-		
Pad Driver	mm	330	400	430	455	455	505		
Solution Tank	Ltrs.	10	11	12.5	12.5	12.5	-		
Weight	Kg.	29	43	45	52	78	44		

HAND SCRUBBER

Hand Scrubber



Model	KB 180	Hand Scrubber
Motor Power	W	1200
Supply	V/Hz	220-240/50
Rotation speed	rpm	600-2800
Disc Dia	mm	180
Net Weight	kg	3
Brush Dia	mm	180

FOAM GENERATOR

Foam Gen



Model		FoamGen
Max. Power	W	80
Supply	V / Hz	220-240/50
Tank Capacity	Ltr.	08
Net Weight	Kg	08
Dimension	LxWxH	30 x 26 x 53

ESCALATOR CLEANER

Escalator Cleaner



Model		SC-450
Voltage	V/Hz	220-240 / 50
Power	Watts	1180
Operating Width	mm	450
Dry Motor	Watts	1000
Roll Brush Motor	Watts	180
Capacity	Ltrs	20
Weight	Kg.	34



GT-50



KV-50



KV-35



CT-50



KV-55



KV-65

PRODUCT APPLICATIONS



Mall
01

02
Supermarket



Airport
03

04
School



Workshop
05

Technical Data		KV-35 Cable	KV-50 Cable	GT-50 Cable	CT-50 Battery	KV-55 Cable/Battery	KV-65 Cable/Battery
Scrubbing Width	mm	455	510	500	510	530	530
Squeegee Width	mm	755	755	815	755	790	790
No. of Brushes	-	1(Disc)	1(Disc)	1(Disc)	1(Disc)	1(Disc)	1(Disc)
Max. Productivity	Sq.m/Hr.	1700	1800	2000	1800	2120	2250
Solution Tank Capacity	Ltr.	32	45	50	45	50	60
Recovery Tank Capacity	Ltr.	35	50	50	50	55	65
Main Supply	Volt/Hz	220/50	220/50	220/50	24V/110Ah	220/50,24V/110Ah	220/50,24V/110Ah
Brush Diameter	mm	455	510	500	510	530	530
Maximum Speed	Km/Hr.	3.5	3.5	4	3.5	4	4.5
Weight	Kg.	76	78	89	78/135	90/145	95/150



RIDE ON AUTOMATIC SCRUBBER DRIERS



KV- 90



KV- 100



KV- 110



KV- 130



KV- 150



SPECIAL FEATURES



Polyethylene process
Strong and durable, acid and alkali corrosion resistance



Front LED light
Applicable for dim place



Visual clear water tube
Easy to observe the amount of water



Rear-wheel drive
Strong power and climbing ability



Pure copper motor
Strong power, energy saving and high efficiency



Adaptive squeegee
Integrated molding, independent R&D



Float induction device
Protect the motor from water damage



Large water tank
90 L to 150L capacity, high efficiency

Technical Data	Scrubbing Width	Squeegee Width	No. of Brushes	Max. Productivity	Solution Tank Capacity	Recovery Tank Capacity	Main Supply	Brush Diameter	Maximum Speed	Weight / Dimensions
MODEL	mm	mm	-	Sq. mtr/Hr	Ltrs	Ltrs	Volts/Ah	mm	Km/Hr	Kg/(lxwxh)cm
KV-90	570	900	1	3900	90	100	24 / 150	535	0 to 7	248 / 130x66x117
KV-100	660	900	2	4620	90	100	24 / 150	330 x 2	0 to 7	258 / 130x66x117
KV-110	700	1020	2	4900	100	110	24 / 210	350 x 2	0 to 8	282 / 130x70x117
KV-130	800	1100	2	6400	120	130	24 / 240	400 x 2	0 to 9	332 / 160x110x138
KV-150	850	1200	2	7650	140	150	24 / 240	425 x 2	0 to 9	435 / 160x110x142

KV-180



KV-270



PRODUCT DETAILS



Polyethylene process
Strong and durable, acid and alkali corrosion resistance



Front LED light
Applicable for dim place



Anti-collision structure
Multiple protections, safe and reliable



Pure copper motor
Strong power, energy saving and high efficiency



Adaptive squeegee
Integrated molding, independent R&D



Visual clear water tube
Easy to observe the amount of water



Rear-wheel drive
Strong power and climbing ability



Double water outlet system
More convenient to drain and pour water



Intelligent controller system
offers stable working operation & long working life.



High quality maintenance free batteries
to provide upto 6 hours working time with single charge



Large brush & water tanks
to improve the cleaning efficiency significantly.


Technical Data	Scrubbing Width	Squeegee Width	No. of Brushes	Max. Productivity	Solution Tank Capacity	Recovery Tank Capacity	Main Supply	Brush Diameter	Maximum Speed	Weight
MODEL	mm	mm	-	Sq. mtr/Hr	Ltrs	Ltrs	Volts/Ah	mm	Km/Hr	Kg
KV-180	960	1200	2	8640	165	180	24 / 240	480 x 2	0 to 9	435
KV-270	1060	1380	2	9540	250	270	36 / 240	530 x 2	0 to 9	583
Technical Data	Traction motor Watts	Brush motor Watts	Vacuum motor Watts	Brush pressure MPa	Brush speed rpm	Grade ability %	No. of Batteries	Working Hours	Noise level dBA	Dimensions (LxWxH) cm
KV-180	800	550 x 2	554	4.5	180	<25	4 x 6V	3 to 5	67	163 x 87 x 140
KV-270	850	650 x 2	800	4.5	180	<25	6 x 6V	4 to 6	65	187 x 108 x 146



RIDE ON AUTOMATIC SCRUBBER DRIERS



KV-400



Adaptive squeegee
Integrated molding, independent R&D



Polyethylene process
Strong and durable, acid and alkali corrosion resistance



Simple panel
One-click operation, easy to use



Front LED light
Applicable for dim place



Anti-collision structure
Multiple protections, safe and reliable



Strong power
Excellent climbing ability



Pure copper motor
Strong power, energy saving and high efficiency



Double vacuum fan
Strong sewage recovery ability, more ideal cleaning effect



Forklift seat with seat switch
meets the needs of CE certificate & more comfortable.



With one button start all functions
power, hour, error code display, Brush & vacuum motor can work separately



Large 390/400 ltr water tanks
to improve the cleaning efficiency significantly



Technical Data	Scrubbing Width	Squeegee Width	No. of Brushes	Max. Productivity	Solution Tank Capacity	Recovery Tank Capacity	Main Supply	Brush Diameter	Maximum Speed	Weight
MODEL	mm	mm	-	Sq.mtr/Hr	Ltrs	Ltrs	Volts/Ah	mm	Km/Hr	Kg
KV-400	1120	1380	2-3	10080	390	400	36 / 440	560	0 to 9	1164
Technical Data	Traction motor Watts	Brush motor Watts	Vacuum motor Watts	Lifting motor Watts	Brush speed rpm	Brush pressure MPa	No. of Batteries	Working Hours	Noise level dBA	Dimensions (LxWxH) cm
KV-400	1500	680 x 2	554 x 2	100 x 2	215	4.8	36 V	6 to 8	67	223 x 135 x 154



INDUSTRIAL SWEEPING MACHINES



All clean



KV- 1400



KV- 1000



**KV- 1400
with Roof**



KV- 1600



**KV- 1600
with Roof**



Our Advantages

Large capacity design,
The compact design,
Sweeping, vacuuming, spray
High-power drive motor,

35 to 120L garbage bin capacity
Wide 360-degree field of view,
Three-in-one System,
Strong climbing ability with 25 deg. climbing angle.

No need to dump repeatedly, High cleaning efficiency
Can drive the machine through narrow areas easily.
Cleaning width reaches 1600 mm
40 to 150 L spray water tank capacity

Features

Excellent dust filtration effect,
the chassis adopts rugged steel frame,
Atomization watering technology
Advanced maintenance-free battery,
Solid high-elastic tires,
One-touch control,
Dual disc brake device,
Ergonomic design

The built-in powerful dust control system
Durability and reliable performance.
Excellent dust control effect,
No leakage, no harmful gases,
No need to inflate,
Simple operation
Work safety is guaranteed.
The seat effectively supports the waist,

Can effectively slowdown flow rate of dust-containing air.
Flip board design to clean up larger garbage.
Maintains good air quality.
High-performance.
Durable and easy to use.
Without the driver taking his hands off the steering wheel.
Large filter surface area for continuous use.
Work for a long time without fatigue.

Technical Data	Sweeping Width	Main Brush Width	Power Supply	Max. Productivity	Garbage Tank Capacity	Spray water Tank Capacity	Filter Surface Area	Filter Shaking	Maximum Speed	Weight / Dimensions (LxWxH)
MODEL	mm	mm	-	Sq. mtr/Hr	Ltrs	Ltrs	Sq. mtr.	-	Km/Hr	Kg / cm
All clean	700	500	Manual	1750	40	-	-	-	-	25 / 40x79x75
KV-900	1000	400	Battery 12V	3500	35	-	1	Manual	0 to 4	38 / 103x61x99
KV-1000	1050	500	Battery 48V	4000	45	40	2	Manual	0 to 4	95 / 85x90x100
KV-1400	1380	600	Battery 48V	10800	120	90	6	Electric	0 to 9	332 / 158x93x126
KV-1600	1570	800	Battery 48V	12400	160	150	8	Electric	0 to 9	423 / 182x113x139

KV- 1800



KV- 2000



KV- 2500



Rotomolded body
Corrosion- proof
Collision- resistant

Wide rear view mirrors

Spray Cannon
Effectively reducing dust
making continuous cleaning easier

Four wheels vehicle

Cold steel debris hopper



High quality nylon side brushes

Easy to transport, empty and wash

Faster wide sweeping

Technical Data	Sweeping Width	Main Brush Width	Side Brush Width	Running Time	Garbage Hopper Capacity	Spray water Tank Capacity	Max productivity	Battery Capacity	Maximum Speed	Weight	Dimensions
MODEL	mm	mm	mm	Hours	Ltrs	Ltrs	Sq. mtr./ Hr	V / Ah	Km/Hr	Kg	(LxWxH) cm
KV-1800	1900	700	500 x 4	4-5	180	80	16800	48 / 150	0 to 9	780	233 x 190 x 196
KV-2000	2050	800	600 x 4	4-6	200	150	18400	48 / 210	0 to 9	990	263 x 205 x 240
KV-2500	2200	690 x 5	500 x 4	5-6	240	200	22000	48 / 320	0 to 10	1580	395 x 220 x 200

Coynco Italy



Model Particulars	Unit	BT-4	CT-4	CT-6	S-103	ST-3 pro BT- 750	STD- 400 pro	1140 Oil	1155 Oil	Car 2655
Supply Source	Volts/ Hz	Battery	415 / 50	415 / 50	230 / 50	400 / 50	400 / 50	400 / 50	400 / 50	400 / 50
Motor Power	Watts	1500	4000	7500	3600	3000	4000	4000	5500	11000
Air Flow	Mtr ³ /Hr	351	318	330	450	350	350	350	560	1000
Suction	mm H ₂ O	3770	4200	4500	2300	3200	3200	3200	3200	5000
Tank Capacity	Ltrs	80	80	100	50	75	75	100	100	100

STEAM CLEANERS

COLD WATER HIGH PRESSURE JET CLEANERS

Lavor Italy



Technical Data	Units	GV Kone	GV Katla
Boiler Volume	Ltr.	2.4	4.6
Water Tank	Ltr.	1.5	5
Operating Pressure	Bar	4	9
Steam Production	g/min	80	77
Steam Temperature	°C	143	175
Maximum Output	Watts	2300	3300
Hose Length	Mtr	2.8	10
Detergent Tank Capacity	Ltr.	-	5
Weight	kg.	12	31

Technical Data	Units	Vertigo 28	KW C 150	KW C 200	KW C 350
Maximum Pressure	bar	180	150	200	350
Water Flow Rate	Ltr/Hr	510	720	900	1260
Power	Watts	2800	2200	5500	14800
Power Supply	V/Hz	230 / 50	230 / 50	440 / 50	440 / 50
Weight	Kg	23.5	42	70	190
Rpm	-	2800	1450	1450	1450
Remote Control	-	Total stop	Total stop	Total stop	Total stop
Hose Length	Mtr	10	10	10	10
Dimensions cm	LxWxH	35 x 38 x 90	72 x 45 x 90	75 x 45 x 90	80 x 65 x 95

MOP WRINGER TROLLEYS



Janitor Trolley



Double bucket Trolley With Tray



Double bucket Trolley 30 Ltr. / 50 Ltr.



Single bucket Trolley With Partition 30 Ltr.



Cone Wringer Trolley 15 Ltr.



Plastic Caddy

WINDOW GLASS CLEANING SYSTEMS



Window Cleaning Kit



SS Window Squeegee



Cobweb Round Brush



Cobweb Curved Brush



Window Washer With Micro Fibre



COMBI-Window Squeegee & Washer



Telescopic Poles 6/9/11 Mtrs.

HOUSEKEEPING UTILITIES



Kentucky Wet Mops



Flat Mops Dry



Dust Pan With Broom



Caution Sign Boards



Paper Towel / Tissue Dispensers



Liquid Soap & Foam Soap

CLEANING CHEMICALS AND DETERGENTS



R1



R2



R3



R4



R5



R6



R7



R9



Suma Multi



Suma Grill



Spiral



TR 101



TR 103



Suma Scale



Terranova



Nobile Plus



OUR CLIENTS - AT A GLANCE



Kruger Vac India Private Limited
Kruger & Brentt Equipment Private Limited

www.krugervac.com
www.kbequipment.com

B-78, B Block, Sector-88, Noida, Uttar Pradesh 201305 India

www.smartlease.in

info@krugervac.com, sales@kbequipment.com

www.scrubberdryer.in

+91 120 350 1888
+91 98102 91946, 70170 24925, 93101 64050, 93541 29541, 93101 64054

www.sweepingmachines.in
www.floorcleaningmachine.in